

Kaiser Permanente Health Plan of Mid-Atlantic States, Inc.
Anakinra (Kineret) Prior Authorization (PA)
Pharmacy Benefits Prior Authorization Help Desk
Length of Authorizations: Initial- 6 months; Continuation- 12 months

Instructions:

This form is used by Kaiser Permanente and/or participating providers for coverage of **anakinra (Kineret).** Please complete and fax this form back to Kaiser Permanente within 24 hours [fax: 1-866-331-2104]. If you have any questions or concerns, please call 1-866-331-2103. **Requests will not be considered unless this form is complete.**

KP-MAS Formulary can be found at: Pharmacy | Community Provider Portal | Kaiser Permanente

	1 – Patient Information	
Patient Name:	Kaiser Medical ID#:	Date of Birth:
	2 – Prescriber Information	
Is the prescriber a rheumatol	ogist or dermatologist? □ No □ Yes	
If consulted with a specialist,	specialist name and specialty:	
Prescriber Name:	Specialty:	NPI:
Prescriber Address:		
Prescriber Phone #:	Prescriber Fax #:	
	3 – Pharmacy Information	
Pharmacy Name:	Pharmacy NPI:	
Pharmacy Phone #	Pharmacy Fax #:	
	ulation:	
	ulation:	
	5-Diagnosis/Clinical Criteria	
 Is this request for init □ Initial therapy 	ial or continuing therapy? ☐ Continuing therapy, state start date:	
2. Indicate the patient's	diagnosis for the requested medication:	

Clinica	l Criteria:
1.	Member has a diagnosis of moderate to severe rheumatoid arthritis $\hfill\Box$ No $\hfill\Box$ Yes
2.	AND member has a documented inadequate response or no response to at least 3- month trial of 1 non-biologic DMARD AND 1 biologic DMARD □ No □ Yes
3.	AND member has documented failure, contraindication, or intolerance to adalimumab biosimilars (Amjevita preferred) or Humira, Enbrel and Xeljanz □ No □ Yes
4.	AND member has documented inadequate response, contraindication, or inability to tolerate at least one of the following: a. Actemra (tocilizumab) b. Orencia (abatacept) □ No □ Yes
OR	
1.	Kineret is being prescribed for a patient ≥2 years old for treatment of systemic-onset juvenile idiopathic arthritis (JIA) who have failure, intolerance or contraindications to NSAIDs and glucocorticoids (NOT covered for other subtypes of JIA)? □ No □ Yes
OR	
1.	Kineret is being prescribed for Neonatal-onset multisystem inflammatory disease (NOMID) \Box No \Box Yes
2.	AND patient is not receiving Kineret in combination with any of the following: biologic DMARD, Janus kinase inhibitor, phosphodiesterase 4 (PDE4) inhibitor □ No □ Yes
For co	ntinuation of therapy, please respond to <u>additional questions</u> below:
1.	Member has documented a clinically significant benefit from medication, $\hfill\square$ No $\hfill\square$ Yes
2.	AND specialist follow-up occurred in past 12 months since last review, □ No □ Yes
3.	AND member is not receiving Kineret in combination with any of the following: biologic DMARD, Janus kinase inhibitor, phosphodiesterase 4 (PDE4) inhibitor \Box No \Box Yes

6 – Prescriber Sign-Off

Additional Information

- 1. Please submit chart notes/medical records for the patient that are applicable to this request.
- 2. If member has not tried preferred agent(s) please provide rationale/explanation and any additional supporting information that should be taken into consideration for the requested medication:

certify that the information provided is accurate. Supporting corescriber Signature:	documentation is available for State audits. Date: