

Kaiser Permanente Health Plan of Mid-Atlantic States, Inc.
Humira (adalimumab) Prior Authorization (PA)
Pharmacy Benefits Prior Authorization Help Desk
Length of Authorizations: Initial- 6 months; Continuation- 12 months

## **Instructions:**

This form is used by Kaiser Permanente and/or participating providers for coverage of **Humira (adalimumab).** Please complete all sections, incomplete forms will delay processing. Fax this form back to Kaiser Permanente within 24 hours fax: <u>1-866-331-2104</u>. If you have any questions or concerns, please call <u>1-866-331-2103</u>. **Requests will not be considered unless this form is complete**.

KP-MAS Formulary can be found at: Pharmacy | Community Provider Portal | Kaiser Permanente

1 – Patient Information					
Patient Name:	Kaiser Medical ID#:	Date of Birth:			
2 – Provider Information					
Is the prescriber a Rheumatologist, ☐ No ☐ Yes	Dermatologist, or Gastroenterologist?				
If consulted with a specialist, specialist name and specialty:					
Provider Name:	Specialty:	NPI:			
Provider Address:					
Provider Phone #:	Provider Fax #:				
3 – Pharmacy Information					
Pharmacy Name:	Pharmacy NPI:				
Pharmacy Phone #	Pharmacy Fax #:				
4 – Drug Therapy Requested					
	:				
Sig:		<del>-</del>			
Drug 2: Name/Strength/Formulation:					
5– Diagnosis/Clinical Criteria					
1. Is this request for initial or contin	nuing therapy?				
□ Initial therapy	□ Continuing therapy, state start date:				
2. Indicate the patient's diagnosis for the requested medication:					

Page 1 of 4

Clir	nical	Criteria:
	1.	Member has history of treatment failure, intolerance, or contraindication to adalimumab biosimilars (Amjevita preferred), <b>AND</b>
		□ No □ Yes
Rhe	eum	atology:
	1.	Member has psoriatic arthritis  □ No □ Yes
	2.	AND member has history of inadequate response after at least a 3-month trial, contraindication or intolerance to an infliximab product OR Cosentyx (secukinumab)  □ No □ Yes
OB		AND member has history of inadequate response after at least a 3-month trial, contraindication or intolerance to one or more medications to treat psoriatic arthritis such as conventional DMARDs (e.g. methotrexate or leflunomide)  □ No □ Yes
OR	1.	Member has a diagnosis of active ankylosing spondylitis or nonradiographic axial spondyloarthritis $\ \square$ No $\ \square$ Yes
	2.	AND member has inadequate response after at least 4 weeks, contraindication or intolerance to infliximab AND full anti-inflammatory dose of an NSAID taken on a regular continuing basis  □ No □ Yes
OR		
00	1.	Member has documented presence of enthesitis/tendonitis as part of manifestation of peripheral spondyloarthritis $\Box$ No $\Box$ Yes
OR	1.	Diagnosis of peripheral spondyloarthritis and does not have enthesitis/tendonitis $\hfill\Box$ No $\hfill\Box$ Yes
		AND history of inadequate response after 3-month trial, contraindication, or intolerance of at least one nonbiologic DMARD such as sulfasalazine, methotrexate or leflunomide □ No □ Yes
OR		Diagnosis of rheumatoid arthritis  □ No □ Yes
	2.	AND patient has had an inadequate response after at least a 3-month trial, contraindication, or intolerance to infliximab  □ No □ Yes
	3.	AND documented advanced disease or high disease activity  □ No □ Yes
-		AND intolerance, contraindication or inadequate response after a 3-month minimum trial of one of the following: oral/subcutaneous methotrexate, hydroxychloroquine, leflunomide or sulfasalazine □ No □ Yes
OR	5.	Pediatric patients ≥2 years with juvenile idiopathic arthritis who have failed methotrexate

Derma	tology:
1.	Diagnosis of moderate to severe plaque psoriasis (>3% body surface area unless palmar-plantar involvement is severe)
	□ No □ Yes
2.	<b>AND</b> member has had inadequate response after at least a 3-month trial or contraindication to phototherapy unless involvement in sensitive areas (e.g., face, body folds, etc.) $\Box$ No $\Box$ Yes
3.	<b>AND</b> member has failed at least a 1-month trial of high or ultra-high potency topical corticosteroids, unless clinically significant adverse effects, contraindication or clinical reason to avoid treatment $\Box$ No $\Box$ Yes
4.	AND failed at least a 3-month trial of 1 of the following unless clinically significant adverse effects, contraindication or clinical reason to avoid treatment (i.e. pregnancy/breastfeeding, history of alcoholism or alcoholic liver disease, chronic liver disease, immunodeficiency syndrome, pre-existing blood dyscrasia, hemodialysis, or end-stage renal disease):  a. Methotrexate b. Acitretin  No  Yes
5.	AND failure, inadequate response, or intolerance to Cosentyx (secukinumab)
	□ No □ Yes
OR	
1.	Member has a diagnosis of moderate to severe plaque psoriasis in pediatric patients ≤17 years who have contraindication, intolerance or inadequate response to the following:  a. Topical psoriasis treatment AND  i. methotrexate OR  ii. 12-week trial of phototherapy
	□ No □ Yes
AND	
1.	Negative test for tuberculosis within the past 12 months (prefer within the last 3 months) $\ \square$ No $\ \square$ Yes
2.	AND negative test for hepatitis B within the past 24 months  □ No □ Yes
Gastro	enterology:
1.	Member diagnosed with moderate to severe Crohn's disease or ulcerative colitis (UC) $\ \square$ No $\ \square$ Yes
2.	<ul> <li>AND failed, has intolerance to, or contraindication to:</li> <li>a. One conventional therapy [Mesalamine (UC only), azathioprine, 6-mercaptopurine, OR methotrexate],</li> <li>b. AND corticosteroids</li> <li>c. AND infliximab – unless member is physically located outside of our KP Network (i.e., college student) and is unable to receive infusions</li> <li>No Ses</li> </ul>
3.	For UC, must meet the same criteria OR have an inadequate response to at least a 3-month trial, intolerance, and/or contraindication to Xeljanz.

□ No □ Yes				
Other Indications:  1. Member is being treated for any of the following labeled indications a. Hidradenitis suppurativa □ No □ Yes	Member is being treated for any of the following labeled indications <b>AND</b> prescribed by a specialist:  a. Hidradenitis suppurativa			
b. Uveitis and related conditions  ☐ No ☐ Yes				
For continuation of therapy, please respond to <u>additional questions</u> below:  1. Member continues to meet initial review criteria for Humira,  □ No □ Yes				
2. AND member has positive clinical response to medication (i.e. asymple No □ Yes	ptomatic or in clinical remission)			
3. AND specialist follow-up occurred in the last 12 months since last re □ No □ Yes	view			
7 – Provider Sign-Off				
Additional Information –  1. Please submit chart notes/medical records for the patient that are applicable to this request.  2. If member has not tried preferred agent(s) please provide rationale/explanation and any additional supporting information that should be taken into consideration for the requested medication:				
I certify that the information provided is accurate. Supporting documentation is available for State audits.				
Provider Signature:	Date:			
Please Note: This document contains confidential information, including protected health information, in private and legally protected by law, including HIPAA. If you are not the intended recipient, you are here any action in reliance on the contents of this telecopied information is strictly prohibited. Please notify:	eby notified that any disclosure, copying, distribution or taking of			