

Kaiser Permanente Health Plan of Mid-Atlantic States, Inc.
Simponi (golimumab) Prior Authorization (PA)
Pharmacy Benefits Prior Authorization Help Desk
Length of Authorization: 12 months

## **Instructions:**

This form is used by Kaiser Permanente and/or participating providers for coverage of **Simponi (golimumab)**. Please complete and fax this form back to Kaiser Permanente within 24 hours [fax: <u>1-866-331-2104</u>]. If you have any questions or concerns, please call <u>1-866-331-2103</u>. **Requests will not be considered unless this form is complete. The KP-MAS Formulary can be found at: <a href="http://pithelp.appl.kp.org/MAS/formulary.html">http://pithelp.appl.kp.org/MAS/formulary.html</a>** 

	1 – Patient Information	
Patient Name:	Kaiser Medical ID#:	Date of Birth:
	2 – Provider Information	
Provider Name:	Specialty:	Provider NPI:
Provider Address:		
Provider Phone #:	Provider Fax #:	
Please check the boxes that apply:  □ Initial Request □ Continuation of Ther	apy Request	
	3 – Pharmacy Information	
Pharmacy Name:	Pharmacy NPI:	
Pharmacy Phone #	Pharmacy Fax #:	
	4 – Drug Therapy Requested	
Drug 1: Name/Strength/Formulation:		
Drug 2: Name/Strength/Formulation:		
- J		

## 5- Diagnosis/Clinical Criteria

Plea	se Note: This document contains confidential information, including protected health information, intended for a specific individual and purpose. The		
-	vider Signature: Date:		
l cer	ify that the information provided is accurate. Supporting documentation is available for State audits.		
6 – Provider Sign-Off dditional Information – Please provide any additional information that should be taken into consideration.			
	<u>months</u> ?  □ No □ Yes		
	c. Did the patient try and fail a compliant regimen of azathioprine or mercaptopurine for three consecutive		
	□ No □ Yes		
	b. Did the patient try and fail a compliant regimen of oral corticosteroids (for moderate to severe CD) unless contraindicated, or intravenous corticosteroids (for severe and fulminant CD or failure to respond to oral corticosteroids)? <b>AND</b>		
	mesalamine) for <u>two consecutive months</u> ? <b>AND</b> $\Box$ No $\Box$ Yes		
5.	If this is being used for <u>Ulcerative Colitis</u> (UC):  a. Did the patient try and fail a compliant regimen of oral or rectal aminosalicylates (i.e., sulfasalazine or		
	□ No □ Yes		
	<ul><li>□ No □ Yes</li><li>b. Is Simponi being used as combination therapy with methotrexate?</li></ul>		
	<ul> <li>Did the patient try and fail or have a contraindication, or adverse reaction to methotrexate alone and at least one other DMARD (sulfasalazine, hydroxychloroquine, minocycline)? AND</li> </ul>		
4.	If this is being used for Rheumatoid Arthritis (RA):		
3.	<ul><li>Was there therapeutic failure to one of the preferred agents? (e.g. Enbrel, Humira) AND</li><li>□ No □ Yes</li></ul>		
	□ No □ Yes		
2.	Was there therapeutic failure on oral methotrexate? <b>AND</b>		
	□ Other:		
	□ Ulcerative Colitis (UC)		
	□ Ankylosing Spondylitis (AS)		
	□ Psoriatic arthritis (PsA)		
1.	Does the member have diagnosis of one of the following? <b>AND</b> Rheumatoid Arthritis (RA)		

information is private and legally protected by law, including HIPAA. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this telecopied information is strictly prohibited. Please notify sender if document was not

intended for receipt by your facility