



STANDARD COMMERCIAL DRUG FORMULARY
PRIOR AUTHORIZATION GUIDELINES

TAFAMIDIS

Generic	Brand	HICL	GCN	Exception/Other
TAFAMIDIS MEGLUMINE	VYNDAQEL	41631		
TAFAMIDIS	VYNDAMAX	45729		

GUIDELINES FOR USE

INITIAL CRITERIA (NOTE: FOR RENEWAL CRITERIA SEE BELOW)

1. Does the patient have a documented diagnosis of cardiomyopathy associated with wild type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) as confirmed by **ONE** of the following?
 - Bone scan (scintigraphy) strongly positive for myocardial uptake of 99mTcPYP/DPD
(Note: Strongly positive defined as heart to contralateral lung [H/CL] ratio of at least 1.5 or Grade 2 or greater localization to the heart using the Perugini Grade 1-3 scoring system)
 - Biopsy of tissue of affected organ(s) (cardiac and possibly non-cardiac sites) to confirm amyloid presence **AND** chemical typing to confirm presence of transthyretin (TTR) protein

If yes, continue to #2.

If no, do not approve.

DENIAL TEXT: See the initial denial text at the end of the guideline.

2. Does the patient meet **ALL** of the following criteria?
 - The patient is 18 years of age or older
 - Therapy is prescribed by or given in consultation with a cardiologist, transthyretin amyloidosis (ATTR) specialist, or medical geneticist
 - The patient has New York Heart Association (NYHA) class I, II, or III heart failure

If yes, **approve for 12 months for both of the following drugs:**

- **VynDAQel (tafamidis meglumine): Approve by HICL (41631) with a quantity limit of #4 per day.**
- **Vyndamax (tafamidis): Approve by HICL (45729) with a quantity limit of #1 per day.**

APPROVAL TEXT: Renewal requires the physician attestation that the patient has not progressed to New York Heart Association (NYHA) Class IV heart failure.

If no, do not approve.

DENIAL TEXT: See the initial denial text at the end of the guideline.

CONTINUED ON NEXT PAGE



STANDARD COMMERCIAL DRUG FORMULARY
PRIOR AUTHORIZATION GUIDELINES

TAFAMIDIS

INITIAL CRITERIA (CONTINUED)

INITIAL DENIAL TEXT: The guideline named **TAFAMIDIS (Vyndaqel, Vyndamax)** requires a documented diagnosis of cardiomyopathy associated with wild type or hereditary transthyretin-mediated amyloidosis (ATTR-CM). In addition, the following criteria must be met.

- Diagnosis confirmed by ONE of the following:
 - Bone scan (scintigraphy) strongly positive for myocardial uptake of 99mTcPYP/DPD (**Note:** *Strongly positive defined as heart to contralateral lung [H/CL] ratio of at least 1.5 or Grade 2 or greater localization to the heart using the Perugini Grade 1-3 scoring system*)
 - Biopsy of tissue of affected organ(s) (cardiac and possibly non-cardiac sites) to confirm amyloid presence **AND** chemical typing to confirm presence of transthyretin (TTR) protein
- The patient is 18 years of age or older
- Therapy is prescribed by or given in consultation with a cardiologist, transthyretin amyloidosis (ATTR) specialist, or medical geneticist
- The patient has New York Heart Association (NYHA) class I, II or III heart failure

RENEWAL CRITERIA

1. Does the patient have a diagnosis of cardiomyopathy associated with wild type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) **AND** meet the following criterion?
 - Physician attestation that the patient has not progressed to New York Heart Association (NYHA) Class IV heart failure

If yes, **approve for 12 months for both of the following drugs:**

- **Vyndaqel (tafamidis meglumine): Approve by HICL (41631) with a quantity limit of #4 per day.**
- **Vyndamax (tafamidis): Approve by HICL (45729) with a quantity limit of #1 per day.**

If no, do not approve.

RENEWAL DENIAL TEXT: The guideline named **TAFAMIDIS (Vyndaqel, Vyndamax)** requires a diagnosis of cardiomyopathy associated with wild type or hereditary transthyretin-mediated amyloidosis (ATTR-CM). In addition, the following must be met.

- Physician attestation that the patient has not progressed to New York Heart Association (NYHA) Class IV heart failure

CONTINUED ON NEXT PAGE



STANDARD COMMERCIAL DRUG FORMULARY
PRIOR AUTHORIZATION GUIDELINES

TAFAMIDIS

RATIONALE

For further information, please refer to the Prescribing Information and/or Drug Monograph for Vyndaqel and Vyndamax.

REFERENCES

- Vyndaqel [Prescribing Information]. New York, NY: Pfizer Inc.; May 2019.
- Vyndamax [Prescribing Information]. New York, NY: Pfizer Inc.; August 2019.

Library	Commercial	NSA
Yes	Yes	No

Part D Effective: N/A

Commercial Effective: 10/01/19

Created: 05/19

Client Approval: 09/19

P&T Approval: 04/19