

Georgia Region

DEPARTMENT			CRITERIA NUMBER	1
	Quality Resource Manageme	nt		ı
SECTION			EFFECTIVE DATE	07/01/2022
	Utilization Management			
TITLE			REVIEW DATES	06/30/22 2/14/23
	ABA Therapy criteria		REVISION DATE	3/7/23
POLICY TYPE			PAGE NUMBER	1 of 15
New X	Reviewed	Revised		

OVERVIEW:

This medical necessity criteria is used to review and make benefit decisions for ABA service requests for members with the diagnosis of Autism Spectrum Disorder (ASD). Treatments other than ABA do not fall under the scope of this policy; these services include but are not limited to treatments that are considered to be investigational/experimental, such as Cognitive Training, Auditory Integration Therapy, Facilitated Communication; Higashi Schools/Daily Life, Individual Support Program, LEAP, SPELL, Waldon, Hanen, Early Bird, Bright Start, Social Stories, Gentle Teaching, Response Teaching Curriculum and Developmental Intervention Mode, Holding Therapy, Movement Therapy, Music Therapy, Pet Therapy, Psychoanalysis, Son-Rise Program, Scotopic Sensitivity Training, Sensory Integration Training, Neurotherapy (EEG biofeedback).

ASD is a medical, neurobiological, developmental disorder, characterized by Core Deficit areas: persistent deficits in social communication and social interaction across multiple contexts, AND restricted, repetitive patterns of behavior, interests, and activities. Diagnostic and Statistical Manual fifth edition (DSM-5) requires all of these symptoms to be present in early development, and further specifies clinically significant impairment in social, occupational, or other important areas of current function.

ABA is the behavioral treatment approach most commonly used with children with ASD. The defining characteristics of ABA are applied, behavioral, analytic, technological, conceptually systematic, effective, and capable of appropriately generalized outcomes. ABA involves a structured environment, predictable routines, individualized treatment, transition and aftercare planning, and significant family involvement. ABA attempts to increase skills related to behavioral deficits and reduce behavioral excesses including eliminating barriers to learning. Behavioral deficits may occur in the areas of communication, social, and adaptive skills, but are possible in other areas as well. Examples of deficits may include: a lack of expressive language, inability to request items or actions, limited eye contact with others, and inability to engage in age-appropriate self-help skills such as tooth brushing or dressing. Examples of behavioral excesses may include, but are not limited to: physical aggression, property destruction, elopement, self-stimulatory behavior, self-injurious behavior, and vocal stereotypy.



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 2 of 14

At an initial assessment, target symptoms are identified, and a Vineland Adaptive Behavior Scale is completed. Submission of an initial ABA assessment (ABLLS-R, AFLS, VB-MAPP, EFL) is required prior to authorization of a treatment plan. A treatment plan is developed that identifies the core deficits and aberrant behaviors, and includes designated interventions intended to address these deficits and behaviors and achieve individualized goals. Treatment plans are reviewed for medical necessity (defined below) twice annually to allow re-assessment and to document treatment progress.

A Functional Behavioral Assessment (FBA) may also be a part of any assessment. An FBA consists of

- a. Description of the problematic behavior (topography, onset/offset, cycle, intensity, severity)
- b. History of the problematic behavior (long-term and recent)
- c. Antecedent analysis (setting, people, time of day, events) d. Consequence analysis e. Impression and analysis of the function of the problematic behavior Medical Necessity Medical necessity is defined in the controlling specific health plan and/or group documents.

COVERAGE GUIDELINES: INITIAL SERVICE REQUEST:

KPGA may authorize ABA services for ASD only if criteria 1 through 3 are met:

Comprehensive Diagnostic Evaluation

- 1. Neurodevelopmental Evaluation (including detailed developmental history, developmental and cognitive scores noted) resulting in diagnosis of Autism Spectrum Disorder (ASD).
 - a. Must have been completed or updated within the past 3 years
- 2. Recommendation for ABA treatment made as a result of above evaluation (either internally or at an Approved Autism Evaluation Center (AAEC)).
- 3. Member is below age 21 years.

ABA TREATMENT ASSESSMENT:

KPGA may authorize an ABA services assessment only if all of the following criteria are met:

- 1. Numbers 1-3 above.
- 2. Hours requested are not more than what is required to complete the treatment assessment (max 5 hours/20 units CPT code 97151).
- **3.** Additional clinical rationale required for more than 5 hours (20 units) of assessment codes 97151 and 97152 **combined**. Note Standardized psychological testing services are billed with specific psychological testing AMA-CPT code by eligible providers.



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 3 of 14

INITIAL/ONGOING ABA SERVICE TREATMENT REQUEST:

KPGA may authorize the initiation of ABA services for ASD only if all of the following criteria are met:

- 1. Diagnostic Criteria as set forth in the current DSM are met;
- 2. The ABA services do not duplicate services that directly support academic achievement goals that may be included in the member's educational setting or the academic goals encompassed in the member's Individualized Education Plan (IEP)/Individualized Service Plan (ISP).
- 3. The ABA services recommended do not duplicate services provided or available to the member by other medical or behavioral health professionals. Examples include but are not limited to behavioral health treatment such as individual, group, and family therapies; occupational, physical, and speech therapies
- 4. ABA services are not a substitute for non-treatment services addressing environmental factors, including shadow, para-professional, support, interpersonal or companion services in any setting.
- 5. Approved treatment goals and clinical documentation must be focused on active ASD core symptoms, substantial deficits that inhibit daily functioning, and clinically significant aberrant behaviors. This includes a plan for stimulus and response generalization in novel contexts.
- 6. When there is a history of ABA treatment, the provider reviews the previous ABA treatment record to determine that there is a reasonable expectation that a member has the capacity to learn and generalize skills to assist in his or her independence and functional improvements.
- 7. For comprehensive treatment, the requested ABA services are focused on reducing the gap between the member's chronological and developmental ages such that the member is able to develop or restore function to the maximum extent practical OR for focused treatment, the requested ABA services are designed to reduce the burden of selected targeted symptoms on the member, family and other significant people in the environment, and to target increases in appropriate alternative behaviors.
- 8. Treatment intensity does not exceed the member's functional ability to participate and/or is not for the convenience of the patient, caregiver, treating provider or other professional.
- Hours per week requested are not more than what is required to achieve the goals listed in the treatment plan and must reflect the member's, caregiver's, and provider's availability to participate in treatment.
- 10. Treatment occurs in the setting(s) where target behaviors are occurring and/or where treatment is likely to have an impact on target behaviors.
- 11. A complete medical record is submitted by the Board-Certified Behavior Analyst (BCBA)/Licensed Behavioral Analyst (LBA) to include:



QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 4 of 14

- a. All initial assessments performed by the BCBA/LBA and must utilize direct observation. Preferred skills assessments must be developmentally and age appropriate and include non-standardized assessments such as the Vineland, ABLLS, VB-MAPP, and any other developmental measurements employed. Only those portions of assessments that address core deficits of autism are reimbursable; this excludes assessments or portions of assessments that cover academic, speech, vocational deficits, etc. Please note that standardized adaptive behavior assessment tools are not accepted as skills assessment tools.
- b. Individualized treatment plan with clinically significant and measurable goals that clearly address the active symptoms and signs of the member's core deficits of ASD.
- c. Goals should be written with measurable criteria such that they can be reasonably achieved within six months.
- d. Goals should include documentation of core symptoms of ASD in the treatment plan, date of treatment introduction, measured baseline/present level of performance of targeted goal, objective present level of behavior, mastery criteria, estimated date of mastery, and a specific plan for generalization of skills;
- e. Functional Behavior Assessment to address targeted problematic behaviors with operational definition and provide data to measure progress, as clinically indicated;
- f. Documentation of treatment participants, procedures and setting;
- g. Coordination of care with member's other treating providers to communicate pertinent medical and/or behavioral health information.
- 12. Direct line therapy services are provided by a line therapist, Registered Behavior Technician (RBT), or Board-Certified Assistant Behavior Analyst (BCaBA), Board Certified Behavior Analyst (BCBA)/Licensed Assistant Behavior Analyst (LABA), supervised by a BCBA/LBA or BCBA-D/Doctoral level LBA or provided in a manner consistent with the controlling state mandate. In selected circumstances, KPGA will consider direct 1:1 services provider by a BCBA/LBA or a BCBA-D/Doctoral level LBA.
- 13. Telehealth/ Telemedicine is not an approved method of service delivery for direct ABA services (e.g., 97153, 97154, 0373t). Telehealth/ Telemedicine for parent education (e.g., 97156 and 97157) and direct supervision activities (e.g., 97155) can be covered if allowed as an eligible telehealth/ telemedicine service under the member benefit plan. It is recommended that telehealth/ telemedicine service delivery be combined with face-to-face service delivery of direct supervision activities.
- 14. The treatment plan must include a plan to support the member's ability to generalize skills across stimuli, contexts and individuals, via caregiver training or an appropriate alternative.



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 5 of 14

Provider should be able to demonstrate how operational control will be transferred to caregivers.

15. Although not required for the initial service request, transition and aftercare planning should begin during the early phases of treatment.

ONGOING ABA SERVICE TREATMENT REQUEST ONLY:

- 1. On concurrent review, the current ABA treatment demonstrates significant improvement and clinically significant progress to develop or restore the function of the member.
 - a. Significant improvement is mastery of a minimum of 50 percent of stated goals found in the submitted treatment plan. KPGA may request further psychological testing be obtained to clarify limited/lack of treatment response. Adaptive behavior, cognitive and/or language testing must show evidence of measurable functional improvement, as opposed to declining or plateaued scores.
 - For members who do not master 50 percent of stated goals and/or fail to demonstrate measurable and substantial evidence toward developing or restoring the maximum function of the member, the treatment plan should clearly address the barriers to treatment success.
 - b. There is reasonable expectations of mastery of proposed goals within the requested sixmonth treatment period and that achievement of goals will assist in the member's independence and functional improvements.
 - c. If six-month goals are continued into the next treatment plan, these goals must be connected to long term goals that are clinically significant and with a reasonable expectation of mastery. When the mastery criteria have been modified to meet an incremental short-term objective, the overall goal is considered to be "continued".
 - d. There is a reasonable expectation that a member is able to, or demonstrates the capacity to, acquire and develop clinically significant generalized skills to assist in his or her independence and functional improvements to reduce the need for custodial, respite, interpersonal or paraprofessional care or other support services,
 - e. If the member does not demonstrate significant improvement or progress achieving goals for successive authorization periods, benefit coverage of ABA services may be reduced or denied.
- 2. The treatment plan for generalization of skills includes either:
 - a. A plan for caregiver training that includes assessment of the caregivers' skills, measurable goals for skill acquisition and monitoring of the caregivers' use of skills.
 Generalization of skills should be assessed during parent/caregiver training to ensure



	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 6 of 14

the member can demonstrate skill with caregivers in the natural environment during non-therapeutic times. Documentation may be requested to assess the caregivers' ability to implement treatment plan procedures and recommendations to evaluate the following areas.

- i. Member's ability to demonstrate the use of replacement skills and/or reductions in aberrant behavior in natural settings.
- ii. Family/caregivers' ability to successfully prompt and teach skills and effectively utilize behavior reduction strategies.
- iii. The BCBA/LBA clinician can assess treatment effectiveness during nontherapeutic times.
- b. An alternative plan if caregiver participation does not result in generalization of skills.
- 3. Transition and aftercare planning should:
 - 1. Begin during the early phases of treatment and will change over time based upon response to treatment and presented needs.
 - Focus on the skills and supports required for the member for transitioning toward their natural environment as appropriate to their realistic developmental abilities.
 - 3. Identify appropriate services and supports for the time period following ABA treatment.
 - 4. Include a planning process and documentation with active involvement and collaboration with a multidisciplinary team to include caregivers.
 - 5. Long term outcomes must be developed specifically for the individual with ASD, be functional in nature, and focus on skills needed in current and future environments.
- 4. Realistic expectations should be set with current treatment plan goals connecting to long term outcomes. Additional clinical rationale required for more than 5 hours (20 units) for six months reassessments. Please refer to Guidelines for Treatment Record Documentation section of KPGA's Provider Manual for standards on client file documentation. KPGA will review requests for ABA treatment benefit coverage based upon clinical information submitted by the provider. State mandates and the controlling health plan may have benefit limitation and exclusions not listed in this medical policy.

SERVICE INTENSITY CLASSIFICATION:

Comprehensive treatments range from 10 to 35 total hours of direct services weekly. <u>However, KPGA</u> will review each request on an individual basis for fidelity to medical necessity and approve total hours



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 7 of 14

based on the member's severity, intensity, frequency of symptoms, and response to previous and current ABA treatment. Comprehensive treatment includes direct 1:1 ABA, caregiver training, supervision and treatment planning. Comprehensive ABA treatment targets members whose treatment plans address deficits in all of the core symptoms of Autism. Appropriate examples of comprehensive treatment include early intensive behavioral intervention and treatment programs for older children with aberrant behaviors across multiple settings. This treatment level, which requires very substantial support, should initially occur in a structured setting with 1:1 staffing and should advance to a least restrictive environment and small group format. Caregiver training is an essential component of Comprehensive ABA treatment. This treatment is primarily directed to children ages 18 months to 8 years old because Comprehensive ABA treatment has been shown to be most effective with this population in current medical literature. Focused treatments range from 10 to 35 total hours of direct services per week. However, KPGA will review each request on an individual basis for fidelity to medical necessity and approve total hours based on the member's severity, intensity, frequency of symptoms, and response to previous and current ABA treatment. This treatment may include caregiver training as the only component. Focused treatment typically targets a limited number of behavior goals requiring substantial support. Behavioral targets include marked deficits in social communication skills and restricted, repetitive behavior such as difficulties coping with change. In cases of specific aberrant and/or restricted, repetitive behaviors, attention to prioritization of skills is necessary to prevent and offset exacerbation of these behaviors, and to teach new skill sets. Identified aberrant behaviors should be addressed with specific procedures outlined in a Behavior Intervention Plan. Emphasis is placed on group work and parent training to assist the member in developing and enhancing his/her participation in family and community life, and developing appropriate adaptive, social or functional skills in the least restrictive environment. Requested treatment hours outside of the range for Comprehensive or Focused treatment will require a specific clinical rationale.

HOURS TO BE AUTHORIZED:

Total authorized hours will be determined based on all of the following:

- Evaluation of the submitted ABA evaluation (ABLLS-R, AFLS, Vineland, VB-MAPP, etc.) by TSPMG Development Pediatrics Department
- The following therapy codes may be approved
 - o 97151 (max 20 units for initial/re-evaluation)
 - 97152 with clinical rationale describing level of need/severe behaviors
 - 97153 commensurate with level of need described in evaluation, age/school status of member



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 8 of 14

- o 97155 (max is 20% of total treatment hours approved)
 - Concurrent billing with 97153 And 97155 will not be approved.
- o 97156 (1-2 hours per week, 104-208 units per 6-month authorization)
- Provider treatment plan that identifies suitable behaviors for treatment and improves the functional ability across multiple contexts
- Severity of symptoms, including aberrant behaviors
- Continued measurable treatment gains and response to previous and current ABA treatment. Hours per week requested are not more than what is required to achieve the goals listed in the treatment plan and must reflect the member's, caregiver's, and provider's availability to participate in treatment.

COVERAGE GUIDELINES: CONTINUED SERVICE REQUEST:

KPGA may authorize continued ABA treatment services for ASD only if all of the following criteria are met:

- 1. Diagnostic Criteria as set forth in the Initial Review Criteria are met
- 2. ABA services do not duplicate services that directly support academic achievement goals that may be included in the member's educational setting or the academic goals encompassed in the member's IEP/ISP. This includes shadow, para-professional, or companion services in any setting that are implemented to directly support academic achievement goals
- 3. The ABA services recommended do not duplicate services provided or available to the member by other medical or behavioral health professionals. Examples include but are not limited to behavioral health treatment such as individual, group, and family therapies; occupational, physical, and speech therapies.
- 4. Approved treatment goals and clinical documentation must be focused on active ASD core symptoms, substantial deficits that inhibit daily functioning, and clinically significant aberrant behavior. This includes a plan for stimulus and response generalization in novel contexts.
- 5. Member must show progress in generalizing skills across stimuli, contexts, and individuals, via caregiver training or an appropriate alternative. Provider should be able to demonstrate how operational control is being transferred to caregivers.
- 6. Adaptive Behavior Testing (such as the Vineland Adaptive Behavior Scale (VABS))annually within a 45- day period of the next scheduled concurrent review. The Vineland or other standardized psychological tests may be required on any concurrent review dependent on clinical information obtained during the course of ABA treatment.



QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 9 of 14

- 7. For comprehensive treatment, the requested ABA services are focused on reducing the gap between the member's chronological and developmental ages such that the member is able to develop or restore function to the maximum extent practical; OR For focused treatment the requested ABA services are designed to reduce the burden of selected targeted symptoms on the member, family and other significant people in the environment, and to target increases in appropriate alternative behaviors.
- 8. Treatment intensity does not exceed the member's functional ability to participate.
- 9. Treatment occurs in the setting(s) where target behaviors are occurring and/or where treatment is likely to have an impact on target behaviors.
- 10. Hours per week requested are not more than what is required to achieve the goals listed in the treatment plan and must reflect the member's, caregiver's, and provider's availability to participate in treatment.
- 11. A complete medical record is submitted by the BCBA/LBA to include:
 - a. Collected data, including additional non-standardized testing such as ABLLS, VBMAPP or other developmentally appropriate assessments, celebration charts, graphs, progress notes that link to interventions of specific treatment plan goals/objectives. Only those portions of assessments that address core deficits of autism are reimbursable; this excludes assessments or portions of assessments that cover academic, speech, vocational deficits, etc.
 - b. Individualized treatment plan with clinically significant and measurable goals that clearly address the active symptoms and signs of the member's core deficits of ASD.
 - c. Goals should be written with measurable criteria such that they can be reasonably achieved within six months.
 - d. Goals should include documentation of core symptoms of ASD identified on the treatment plan, date of treatment introduction, measured baseline of targeted goal, objective present level of behavior, mastery criteria, estimated date of mastery, a specific plan for Generalization of skills, and the number of hours per week estimated to achieve each goal;
 - e. Functional Behavior Assessment to address targeted problematic behaviors with operational definition and provide data to measure progress, as clinically indicated;
 - f. Documentation of treatment participants, procedures and setting;
- 12. Direct line therapy services are provided by a line therapist, or RBT, or BCaBA/LABA, supervised by a BCBA/LBA or BCBA-D/Doctoral level LBA, or the provision of services is consistent with the controlling state mandate. In selected circumstances, KPGA will consider direct one to one services provider by a BCBA/LBA or BCBA-D/Doctoral level LBA.



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 10 of 14

13. Telehealth/ Telemedicine is not an approved method of service delivery for direct ABA services. Telehealth/ Telemedicine for parent education and direct supervision activities can be covered if allowed as an eligible telehealth/ telemedicine service under the member benefit plan. It is recommended that telehealth/ telemedicine service delivery be combined with face-to-face service delivery of direct supervision activities.

DEFINITIONS:

- <u>Caregiver Training</u>: Caregiver participation is a crucial part of ABA treatment and should begin
 at the onset of services. Provider's clinical recommendations for amount and type of caregiver
 training sessions should be mutually agreed upon by caregivers and provider. Caregiver
 participation is expected for at least 80% of agreed upon caregiver training sessions scheduled
 between provider and caregiver.
 - Caregiver training is defined as the education and development of caregiver-mediated ABA strategies, protocols, or techniques directed at facilitating, improving, or generalizing social interaction, skill acquisition and behavior management, to include observational measures for assurance of treatment integrity. Caregiver training is necessary to address member's appropriate generalization of skills, including activities of daily living, and to potentially decrease familial stressors by increasing member's independence.
 - Caregiver training goals submitted for each authorization period must be specific to the member's identified needs and should include goal mastery criteria, data collection and behavior management procedures if applicable, and procedures to address ABA principles such as reinforcement, prompting, fading and shaping. Each caregiver goal should include date of introduction, current performance level and a specific plan for generalization. Goals should include measurable criteria for the acquisition of specific caregiving skills.
 - O It is recommended that one hour of caregiver training occurs for the first 10 hours of direct line therapy, with an additional 0.5 hours for every additional 10 hours of scheduled direct line therapy unless contraindicated or caregiver declines. Caregiver training hours should increase to a higher ratio of total direct line therapy hours if member goals address activities of daily living, as provider plans for transition to lower level of care within the next 6 months or, as member comes within one year of termination of benefits based on benefit coverage. d. If parents decline or are unable to participate in caregiver training, a generalization plan should be created to address member's skill generalization across environments and people. Should 80% not be



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 11 of 14

- attainable over the course of an authorization period, a plan to increase parent participation should also be included in the request for ongoing care.
- Caregiver training does not include training of teachers, other school staff, other health professionals or other counselors or trainers in ABA techniques. However, caregiver training can include teaching caregivers how to train other professionals or people involved in the member's life.
- <u>Clinically Significant</u>: Clinical significance is the measurement of practical importance of the treatment effect – whether it creates a meaningful difference and has an impact that is noticeable in daily functioning.
- <u>Core Deficits of Autism</u>: persistent deficits in social communication and social interaction across multiple contexts AND, restricted, repetitive patterns of behavior, interests and activities.
- <u>Functional Behavior Assessment</u>: comprises descriptive assessment procedures designed to
 identify environmental events that occur just before and just after occurrences of potential
 target behaviors and that may influence those behaviors. That information may be gathered by
 interviewing the member's caregivers, having caregivers' complete checklists, rating scales, or
 questionnaires, and/ or observing and recording occurrences of target behaviors and
 environmental events in everyday situations. (AMA CPT, 2019)
- <u>Generalization</u>: skills acquired in one setting are applied to many contexts, stimuli, materials, people and/or settings to be practical, useful and functional for the individual. Generalized behavior change involves systematic planning and needs to be a central part of every intervention and every caregiver training strategy. When the member accomplishes generalization, this increases the likelihood of completing tasks independently.
- <u>Interpersonal Care</u>: interventions that do not diagnose or treat a disease, and that provide either improved communication between individuals, or a social interaction replacement
- <u>Long-Term Objective</u>: An objective and measurable goal that details the overall terminal mastery criteria of a skill being taught. Specifically, this terminal mastery criteria will indicate that a member can demonstrate the desired skill across people, places and time, which suggests the skill no longer requires further teaching.
- <u>Mastery Criteria</u>: objectively and quantitatively stated percentage, frequency or intensity and duration in which a member must display skill/behavior to be considered an acquired skill/behavior, including generalization and maintenance
- <u>Non-standardized instruments</u>: include, but not limited to, curriculum-referenced assessment, stimulus preference- assessment procedures, and other procedures for assessing behaviors and associated environmental events that are specific to the individual patient and behaviors. (AMA CPT, 2019)



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 12 of 14

- <u>Paraprofessional Care</u>: services provided by unlicensed persons to help maintain behavior programs designed to allow inclusion of members in structured programs or to support independent living goals except as identified in state mandates or benefit provisions
- <u>Present Level of Performance</u>: objective and quantitative measures of the percentage, frequency or intensity and duration of skill/behavior prior to intervention
- Respite Care: care that provides respite for the individual's family or persons caring for the individual
- <u>Short-Term Objective</u>: An intermediate, objective and measurable goal that details the incremental increases a member must demonstrate in moving toward the identified Long-Term Objective.
- <u>Standardized Assessments</u>: include, but not limited to, behavior checklists, rating scales and adaptive skill assessment instruments that comprise a fixed set of items and are administered and scored in a uniform way with all patients. (AMA CPT, 2019) The listed assessments are not meant to be exhaustive but serve as a general guideline to quantify baseline intelligence and adaptive behaviors and when repeated, measure treatment outcomes. The autism-specific assessments assist not only in the confirmation of diagnosis but more importantly, in identifying/quantifying the severity and intensity of the baseline core ASD behaviors.
- <u>Diagnostic Instruments/Assessments</u>: These assessments are typically longer, in pronounced detail concerning specific deficits and/or survey a broader swath of core behaviors in autism. Reliability and validity of the instrument are defined in depth. Reliability gauges the extent to which the instrument is free from measurement errors across time, across raters, and within the test. Validity is the degree to which other evidence supports inferences drawn from the scores yielded by the instrument. This is often grouped into content, construct, and criteria related evidence. These assessments also provide a measure for severity of illness.
 - Autism Diagnostic Observation Schedule, second edition (ADOS-2), Autism Diagnostic Interview, revised (ADI-R), Social Responsiveness Scale, second edition (SRS-2), DSM-5 Checklist, Gillian Autism Rating Scale (GARS, Childhood Autism Rating Scale, second edition (CARS-2)
- Screening Measures: These are brief assessments designed to identify children who need a comprehensive evaluation secondary to risks associated with delay, disorder, or disease that will interfere with normal development. Screening measures differ from diagnostic measures in that they typically require less time and training to administer and have high rates of false positives. Results of screening measures indicate the level of risk for disability as opposed to the provision of a diagnosis. Screening measures are not appropriate standalone support for an autism diagnosis and should be followed up by an in-depth assessment. Additional acceptable



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 13 of 14

- documentation includes autism specific standardized assessments, or a detailed clinical note based on the DSM-5 signs and symptoms.
- <u>Standardized Cognitive Assessments</u>: Leiter International Performance Scale-R, Mullen Scales of Early Learning, Bayley Scales of Infant Development, Kaufmann Assessment Battery for Children, second edition (K-ABC-II), Wechsler Preschool and Primary Scale of Intelligence, third edition (WPPSI-III), Wechsler Intelligence Scale for Children, fourth edition (WISC-IV), Test of Non-Verbal Intelligence, fourth edition (TONI-4), trac
- <u>Curricular Assessments</u>: These tools are developed to provide a curriculum-based individual
 assessment. They are criterion-refered, as opposed to psychological testing, which is vetted,
 standardized and norm referenced. The latter provide a pathway to allow comparison of an
 individual member's score to a norm-referenced mean. Examples include Assessment of Basic
 Language and Learning Skills (ABLLS-R), Verbal Behavior Milestones Assessment and Placement
 Program (VBMAPP), PEAK Essentials For Living (EFL), Assessment of Functional Living Skills
 (AFLS), Vineland Adaptive Behavior Scales (VABS).

ABA may be ordered **only** by Developmental Pediatrics Clinician(s). If requests from any other providers, e.g., pediatricians, **for Applied Behavioral Analysis (ABA) to any contracted ABA vendor**, the case should be sent to the QRM MD for "soft denial" using the developed SmartPhrase that states the patient will need to be evaluated (or existing diagnosis verified) by internal qualified autism service provider first, prior to ABA approval. The QRM MD will send a staff message in KP HealthConnect to the requesting PCP, and include Developmental Pediatrics Clinician and Program Coordinator (currently Dr. Jennifer Scholz, PsyD and Leslie Quackenbush, LCSW, MPH, respectively), informing them of the denial. Developmental Pediatrics team will contact the parent and determine appropriate next steps in Developmental Evaluation process. Staff message may also be sent to the developmental pool "P DEV" which goes to our Developmental Pediatrics department.

Denial Language:

Request for autism services/ABA is not approved, as it does not meet QRM criteria for medical necessity. Members must be evaluated by <u>internal qualified autism service providers or submit diagnostic evaluation report indicating previous diagnosis of ASD, to be verified by internal providers, prior to referral for autism services. The Developmental Pediatric Department will make contact to arrange for an appointment.</u>



DEPARTMENT QUALITY RESOURCE MANAGEMENT	CRITERIA NUMBER	1
ABA Therapy criteria	PAGE NUMBER	Page 14 of 14

Does not meet the age requirement:

Request for ABA is not approved, coverage for these services is limited to patients up through age 20. These services are not covered beyond this age. May follow up with your primary care doctor regarding this request.

Does not have the benefit for autism services:

Request for autism services at the listed vendor is not approved because this is not a covered benefit for this member's plan. May follow up with your PCP regarding this request.

Non-contracted provider -

Request for autism services at the listed vendor is not approved because this is not a contracted ABA provider. Follow up with Developmental Pediatrics Department regarding this denial.

Approval Date 06/30/22

Luke Beno, MD

Physician Program Director, Quality Resource

Management