
Utilization *ALERT*

- Before using this MCP for evaluation of medical necessity, benefit coverage **MUST** be verified in the member's EOC or benefit document.
 - This medical coverage policy applies to District of Columbia situs members only.
 - For Maryland or Virginia Commercial, Medicare, and Medicaid members, please refer to the applicable benefit plan or state guidelines.
 - For Federal Employees, breast augmentation is not a covered benefit per Office of Personnel Management (OPM). Please refer to federal benefit requirements for details
 - Please refer to CMS guidelines: National Coverage Determination (NCD) or Local Coverage Determination (LCD) for Medicare members. This MCP applies if no CMS criteria are available.
-

I. Internal & Outside Referral Guidelines

- A.** Kaiser Foundation Health Plan (KFHP) provides Gender Confirmation Surgery (GCS) for the treatment of patients with gender incongruence and meet the medical criteria below.
- B.** KFHP commits to following the most recent version of The World Professional Association for Transgender Health. Currently, we are following the World Professional Association for Transgender Health (WPATH) standards of care, 8th Version, for covered services. standards of care for covered services.
- C.** Both surgical and non-surgical services (labs, hormonal therapy, and mental health services) are covered for transition-related treatment under base benefits.
- D.** All referrals require review by the Gender Pathways Medical Lead.

II. Covered Sexual Reassignment Surgery Procedures

- A. Male-to-Female (MtF):** Clitoroplasty, Intersex Surgery, Labiaplasty, Orchiectomy, Penectomy, Vaginoplasty, Tracheal Shave, Facial Feminization.
- B. Female-to-Male (FtM):** Glansplasty, Hysterectomy, Intersex Surgery, Mastectomy with Chest Reconstruction, Metoidioplasty, Mons Resection, Penile Prosthesis, Phalloplasty, Salpingo-Oophorectomy, Scrotoplasty, Testicular Prosthesis, Urethroplasty, Vaginectomy., Facial Masculinization.

III. **Genital Surgery Clinical Review Criteria**

Members must meet **all** of the following criteria for genital surgery coverage:

- A. Member is at least 18 years old; **and** Gender Incongruence is marked and sustained such that:
 - 1. Member experiences discomfort or distress that is caused by a discrepancy between a person's gender identity and that person's sex assigned at birth (and the associated gender role and/or primary and secondary sex characteristics); **and**
 - 2. Other possible causes of apparent gender incongruence have been identified and excluded; **and**

- B. Member has the capacity to make fully informed decisions and to consent to treatment; **and**

- C. If significant medical or mental health concerns are present, they are well controlled; **and**

- D. Member has completed a program of gender incongruence evaluation and treatment, as evidenced by all the following:
 - 1. Member has undergone or is in the process of completing 6 continuous months of hormone therapy as appropriate to the patient's gender identity (unless the patient has a medical contraindication or does not desire to take hormones); **and**
 - 2. Member has one referral for GCS from a qualified mental health professional who has independently assessed the patient. The referral should be from a person who has only had an evaluative role with the patient. The referral letter is expected to cover the following recommended content:
 - a. The member's general identifying characteristic;
 - b. Results of the member's psychosocial assessment, including any diagnoses;
 - c. The duration of the mental health professional's relationship with the Patient, including the type of evaluation and therapy or counseling to date;
 - d. An explanation that the criteria for surgery have been met, and a brief description of the clinical rationale for supporting the patient's request for surgery
 - e. A statement about the fact that informed consent has been obtained from the patient;
 - f. A statement that the member understands the effect of gender-affirming surgical intervention on reproduction and they have explored reproductive options if so desired;
 - g.** A statement that the mental health professional is available for coordination of care and welcomes a phone call to establish this; **and**
 - 3. Member has had a mental health evaluation and a medical evaluation, which has deemed the patient to have no medical or psychological contraindications for surgery. Additionally, the care team has reviewed the selection of surgical procedures and has deemed them medically necessary; **and**

4. FtM members requesting metoidioplasty or phalloplasty and MtF members requesting vaginoplasty must also have undergone or be in the process of completing 12 continuous months of living in the identified gender role.

IV. Mastectomies with Chest Reconstruction Clinical Review Criteria:

FtM members are eligible for Mastectomies with Chest Reconstruction and should meet **all** the following criteria:

- A. Member is at least 18 years old or 16 years and older with either parental consent or legal emancipation after ample time of living in the desired gender role. **and**
- B. Member has been diagnosed with Gender Incongruence that is marked and sustained such that:
 1. Member experiences discomfort or distress that is caused by a discrepancy between a person's gender identity and that person's sex assigned at birth (and the associated gender role and/or primary and secondary sex characteristics); **and**
 2. Other possible causes of apparent gender incongruence have been identified and excluded; **and**
- C. Member has the capacity to make fully informed decisions and to consent to treatment; **and**
- D. If significant medical or mental health concerns are present, they are well controlled; **and**
- E. Member has one referral for breast/chest surgery from a qualified mental health professional who has independently assessed the patient. For providers working within a multidisciplinary specialty team, a letter may not be necessary; rather, the assessment and recommendation can be documented in the patient's chart. The referral is expected to cover the following recommended content:
 1. The member's general identifying characteristic;
 2. Results of the member's psychosocial assessment, including any diagnoses;
 3. The duration of the mental health professional's relationship with the member, including the type of evaluation and therapy or counseling to date;
 4. An explanation that the criteria for surgery have been met, and a brief description of the clinical rationale for supporting the patient's request for surgery;
 5. A statement about the fact that informed consent has been obtained from the patient;
 6. A statement that the mental health professional is available for coordination of care and welcomes a phone call to establish this; **and**
- F. Member has had a mental health evaluation and a medical evaluation, which has deemed the patient to have no medical or psychological contraindications for surgery.

- V. Male to Female Chest Surgery, Breast Augmentation Clinical Review Criteria**
- A. Surgical breast augmentation will be evaluated for coverage after 6 months of hormonal therapy; **or**
 - B. If the patient is unable to take hormones due to medical contraindications, the patient will be assessed by plastic/reconstructive surgeon for appropriate surgical intervention.

VI. Exclusions/Limitations

- A. Cosmetic surgery is deemed unrelated to gender dysphoria.
- B. Tracheal Shave procedure (chondrolaryngoplasty) will be limited to members 18 years and older; **and**
- C. Gender affirming facial procedures require at least 12 months of Hormone Replacement Treatment (HRT) unless contraindicated or member declines

References

1. Adelson, SL Practice Parameter on Gay, Lesbian, or Bisexual Sexual Orientation, Gender Nonconformity, and Gender Discordance in Children and Adolescents *J Am Acad of Child & Adoles Psychiatry*. Sept 2012. 51:9: 957-74.
2. Burns, Christine. San Francisco Consensus Augurs Well for ICD Revision, *Just Plain Sense* (blog), 18 February 2013.
3. Coleman E, Bockting W, Botzer M. et al. Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People, 7th Version. The World Professional Association for Transgender Health (WPATH). *Int J of Transgenderism*. 2011. 13:165-232.
4. De Cuypere G, Knudson, G, Green J. WPATH Consensus Process Transgender and Transsexual Related Diagnoses in ICD 11. May 2014. *The World Professional Association for Transgender Health (WPATH)*.
5. Deutsch MB, Feldman JL Updated recommendations from the world professional association for transgender health standards of care. *Am Fam Physician* 15 Jan 2013; 87(2): 89-93.
6. Gorin-Lazard A., Is hormonal therapy associated with better quality of life in transsexuals? A cross-sectional study. *J Sex Med* Feb 2012; 9(2): 531-41.
7. Hembree WC, Cohen-Kettenis, P et al, Endocrine Treatment of Transsexual Persons: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrin & Metab*. Sep 2009; 94:9, 3132-54.
8. Hembree WC Guidelines for pubertal suspension and gender reassignment for transgender adolescents. *Child Adolesc Psychiatry Clin N Am* Oct 2011; 20(4): 725-32.
9. Centers for Medicare and Medicaid Services (CMS). Decision Memo for Gender Dysphoria and Gender Reassignment Surgery (CAG-00446N). Date: August 30, 2016. Accessed June 8, 2017.

- <https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=282&bc=AAAAAAAAAAQAAA%3d%3d&>
10. Motmans J, Meier P, et al. Female and male transgender quality of life: socioeconomic and medical differences. *J Sex Med* Mar 2012; 9(3): 743-50.
 11. Randall A Practice Parameter on Sexual Orientation, Gender Nonconformity, and Gender Identity Issues in Children and Adolescents. *Am a Fam Physician*. Aug 2013; 88(3): 202-5.
 12. Rotondi NK, Bauer GR, et al. Nonprescribed hormone use and self-performed surgeries: "do-it-yourself" transitions in transgender communities in Ontario, Canada. *Am J Public Health* Oct 2013; 103(10): 1830-6.
 13. Sills I. Increasing Expertise in Caring for the Gender Dysphoric Child and Transgender Adolescent_ Increasing Expertise in Caring for the Gender Dysphoric Child and Transgender Adolescent, *J Pediatrics*. Apr 2014; 164,(4): 689-90.
 14. Sircili MH, Dénes FT, Tavares A et al. 103 Transsexual Genital Surgery: Complications and Functional Results after 13 Years Of Experience *Journal of Urology*. Apr 2013;189(4), Supplement. Pages e41-e41. ©
 15. State of California Dept. of Insurance. Economic Impact Assessment Gender Nondiscrimination in Health Insurance. 13 Apr 2012.
 16. U.S. Dept. of Health and Human Services, Invalidation of National Coverage Determination 140.3 – Transsexual Surgery. CMS. Effective 30 May 2014.
 17. Wallien, MSC, Swaab H, Cohen-Kettenis PT. Psychiatric Comorbidity among Children with Gender Identity Disorder. *J Am Ac Child & Adoles Psy*. 46(10) Oct 2007: 1307-14.
 18. Wilczynski C, Emanuele MA. Treating a transgender patient: overview of the guidelines. *Postgrad Med*. Nov 2014; 126 (7): 121-24.
 19. Williamson C. Providing care to transgender persons: a clinical approach to primary care, hormones, and HIV management. *J Assoc Nurses AIDS Care* May 2010; 21(3): 221. World Health Organization, The ICD-10 Classification of Mental and Behavioral Disorders. Diagnostic criteria for research. 1992.
 20. Wylie, K. Good practice guidelines for the assessment and treatment of adults with gender dysphoria, Royal College of Psychiatrist, London. October 2013.
 21. Sigurionsson, H; Rinder J; Mollermark, C; Farnebo, F; Lundgren, T.K. Male to female gender reassignment surgery: Surgical outcomes of consecutive patients during 14 years by JPRAS *Open*. December 2015 6:69-73 Language: English. DOI:10.1016/j.jpra 2015.09.003, Database: Science Direct.
 22. Berli, Jens U.; Capitán, Luis; Simon, Daniel; Bluebond-Langner, Rachel; Plemons, Eric; Morrison, Shane D. Facial gender confirmation surgery – a review of the literature and recommendations for Version 8 of the WPATH Standards of Care. *International Journal of Transgenderism*, Jul-Sep2017; 18(3): 264-270. 7p. (Article - research, tables/charts) ISSN: 1553-2739, Database: CINAHL with Full Text
 23. Centers for Medicare and Medicaid Services (CMS). Decision Memo for Gender Dysphoria and Gender Reassignment Surgery (CAG-00446N). Date: August 30, 2016. Accessed 04/09/2019.
<https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=282&bc=AAAAAAAAAAQAAA%3d%3d&>

24. State of Maryland. Maryland Insurance Administration. Maryland Insurance Article. [§15 15-810.1 Coverage](#) for Fertility Preservation Procedures for Iatrogenic Infertility. Accessed 06.21.2019 <https://msa.maryland.gov/megafile/msa/speccol/sc5300/sc5339/000113/000000/000928/unrestricted/20051558e.pdf>
25. Reisner S, Poteat, T Keatley J, Cabral M, Mothopeng T, Dunham E, Holland CE, Max R, and Baral S. Global Health Burden and Needs of Transgender Populations: A Review. *Lancet*. 2016 Jul 23; 388(10042): 412–436. Published online 2016 Jun 17. doi: 10.1016/S0140-6736(16)00684-X. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7035595/pdf/nihms-814325.pdf>
26. Nobili, A, Glazebrook, C and Arcelus, J Quality of life of treatment-seeking transgender adults: A systematic review and meta-analysis. *Rev Endocr Metab Disord*. 2018; 19(3): 199–220. Published online 2018 Aug 18. doi: 10.1007/s11154-018-9459-y https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6223813/pdf/11154_2018_Article_9459.pdf
27. Witcomb GL, Bouman WP, Claes L, Brewin N, Crawford JR, Arcelus J. Levels of depression in transgender people and its predictors: Results of a large, matched control study with transgender people accessing clinical services. *J Affect Disord*. 2018 Aug 1; 235:308-315. doi: 10.1016/j.jad.2018.02.051. Epub 2018 Feb 17. https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S0165032717324400.pdf?locale=en_US&searchIndex=
28. Fernández-Rouco N, Carcedo RJ, López F, Orgaz MB. Mental Health and Proximal Stressors in Transgender Men and Women. *J Clin Med*. 2019 Mar 25;8(3). pii: E413. doi: 10.3390/jcm8030413. PMID:30934613. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6463264/pdf/jcm-08-00413.pdf>
29. Fontenot HB, Cahill SR, Wang T, Geffen S, White BP, Reisner S, Conron K, Harper CR, Johns MM, Avripas SA, Michaels S, Dunville R. Transgender Youth Experiences and Perspectives Related to HIV Preventive Services. *Pediatrics*. 2020 Apr;145(4). pii: e20192204. doi: 10.1542/peds.2019-2204. Epub 2020 Mar 17. <https://pediatrics.aappublications.org/content/145/4/e20192204>
30. Ristori, J., Cocchetti, C., Romani, A., Mazzoli, F., Vignozzi, L., Maggi, M., & Fisher, A. D. (2020). Brain Sex Differences Related to Gender Identity Development: Genes or Hormones?. *International journal of molecular sciences*, 21(6), 2123. <https://doi.org/10.3390/ijms21062123>
31. Carmichael, P., Butler, G., Masic, U., Cole, T. J., De Stavola, B. L., Davidson, S., Skageberg, E. M., Khadr, S., & Viner, R. M. (2021). Short-term outcomes of pubertal suppression in a selected cohort of 12- to 15-year-old young people with persistent gender dysphoria in the UK. *PLoS one*, 16(2), e0243894. <https://doi.org/10.1371/journal.pone.0243894>
32. Meyer, G., Boczek, U., & Bojunga, J. (2020). Hormonal Gender Reassignment Treatment for Gender Dysphoria. *Deutsches Ärzteblatt International*, 117(43), 725–732. <https://doi.org/10.3238/arztebl.2020.0725>.
33. Gürbüz, F., Alkan, M., Çelik, G., Bişgin, A., Çekin, N., Ünal, İ., Topaloğlu, A. K., Zorludemir, Ü., Avcı, A., & Yüksel, B. (2020). Gender Identity and Assignment Recommendations in Disorders of Sex Development Patients: 20 Years' Experience and Challenges. *Journal of clinical research in pediatric endocrinology*, 12(4), 347–357. <https://doi.org/10.4274/jcrpe.galenos.2020.2020.0009>
34. Matthys, I., Defreyne, J., Elaut, E., Fisher, A. D., Kreukels, B., Staphorsius, A., Den Heijer, M., & T'Sjoen, G. (2021). Positive and Negative Affect Changes during Gender-Affirming Hormonal

- Treatment: Results from the European Network for the Investigation of Gender Incongruence (ENIGI). *Journal of clinical medicine*, 10(2), 296. <https://doi.org/10.3390/jcm10020296>
35. Mahfouda, S., Moore, J. K., Siafarikas, A., Hewitt, T., Ganti, U., Lin, A., & Zepf, F. D. (2019). Gender-affirming hormones and surgery in transgender children and adolescents. *The lancet. Diabetes & endocrinology*, 7(6), 484–498. [https://doi.org/10.1016/S2213-8587\(18\)30305-X](https://doi.org/10.1016/S2213-8587(18)30305-X)
 36. Becker-Hebly, I., Fahrenkrug, S., Campion, F., Richter-Appelt, H., Schulte-Markwort, M., & Barkmann, C. (2021). Psychosocial health in adolescents and young adults with gender dysphoria before and after gender-affirming medical interventions: a descriptive study from the Hamburg Gender Identity Service. *European child & adolescent psychiatry*, 30(11), 1755–1767. <https://doi.org/10.1007/s00787-020-01640-2>
 37. WPATH. Standards of Care for the Health of Transgender and Gender Diverse Transsexual Related Diagnoses in ICD 11. Standards of Care for the Health of Transsexual, Transgender, and Gender Diverse People. The World Professional Association for Transgender Health (WPATH), **8th Version**. Sept 2022. Accessed 08/31/23
 38. MCG 27th edition. Copyright © 2023. MCG Health, LLC. Gender Affirming Surgery or Procedure. GRG: GG-FMMF (ISC GRG). Accessed 08/31/202
 39. Morrison SD, Capitán-Cañadas F, Sánchez-García A, Ludwig DC, Massie JP, Nolan IT, Swanson M, Rodríguez-Conesa M, Friedrich JB, Cederna PS, Bellinga RJ, Simon D, Capitán L, Satterwhite T. Prospective Quality-of-Life Outcomes after Facial Feminization Surgery: An International Multicenter Study. *Plast Reconstr Surg*. 2020 Jun;145(6):1499-1509. doi: 10.1097/PRS.0000000000006837. PMID: 32459779. https://journals.lww.com/plasreconsurg/fulltext/2020/06000/prospective_quality_of_life_outcomes_after_facial.28.aspx
 40. Nuyen BA, Qian ZJ, Campbell RD, Erickson-DiRenzo E, Thomas J, Sung CK. Feminization Laryngoplasty: 17-Year Review on Long-Term Outcomes, Safety, and Technique. *Otolaryngol Head Neck Surg*. 2022 Jul;167(1):112-117. doi: 10.1177/01945998211036870. Epub 2021 Aug 17. PMID: 34399638. <https://pubmed.ncbi.nlm.nih.gov/34399638/>
 41. Salesky M, Zebolsky AL, Benjamin T, Wulu JA, Park A, Knott PD, Seth R. Gender-Affirming Facial Surgery: Experiences and Outcomes at an Academic Center. *Facial Plast Surg Aesthet Med*. 2022 Jan-Feb;24(1):54-59. doi: 10.1089/fpsam.2021.0060. Epub 2021 Sep 27. PMID: 34569822. [https://pubmed.ncbi.nlm.nih.gov/34569822/#:~:text=Mean%20hospital%20stay%20after%20first,and%20medical%20complications%20\(6%25\).](https://pubmed.ncbi.nlm.nih.gov/34569822/#:~:text=Mean%20hospital%20stay%20after%20first,and%20medical%20complications%20(6%25).)



**Gender Affirming Surgical Procedures
District of Columbia Situs Members
Medical Coverage Policy**

Approval History

Effective June 01, 2016, state filing is no longer required per Maryland House Bill HB 798 – Health Insurance – Reporting

Date approved by RUMC	Date of Implementation
06/30/2015 WITHDRAWN FROM REVIEW 5/28/2015	07/02/2015
06/30/2015	07/02/2015
06/30/2016	06/30/2016
06/28/2017	06/28/2017
06/27/2018	06/27/2018
06/24/2019	06/24/2019
06/25/2020	06/25/2020
06/24/2021	06/24/2021
06/20/2022	06/20/2022
12/28/2022	12/28/2022
11/28/2023	11/28/2023

*The Regional Utilization Management Committee received **delegated authority** to review and approve designated Utilization Management and Medical Coverage Policies by the Regional Quality Improvement Committee in 2011.

Note: Kaiser Permanente Mid-Atlantic States (KPMAS) include referral and authorization criteria to support primary care and specialty care practitioners, as appropriate, in caring for members with selected conditions. Whenever possible, Medical Coverage Policies are evidence-based and may also include expert opinion. Medical Coverage Policies are not intended or designed as a substitute for the reasonable exercise of independent clinical judgment by a practitioner in any particular set of circumstances for an individual member.

©2023, Kaiser Foundation Health Plan of the Mid-Atlantic States, Inc.
©2023 Mid-Atlantic Permanente Medical Group, P.C.